

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
-	1281	(entity near2 bean\$1) or EJB or (persisten\$2 near2 object\$1)	USPAT	2004/08/02 10:20
-	267	(717/114).clss	USPAT	2004/08/02 10:20
-	15671	contain\$3 with (state\$1 or persistence) with (manag\$4 or maintain\$3 or preserv\$5 or sav\$3 or stor\$4 or replicat\$3 or migrat\$3 or recover\$3 or retriev\$3)	USPAT	2004/08/02 10:24
-	155	((contain\$3 with (state\$1 or persistence) with (manag\$4 or maintain\$3 or preserv\$5 or sav\$3 or stor\$4 or replicat\$3 or migrat\$3 or recover\$3 or retriev\$3)) and (entity near2 bean\$1) or EJB or (persisten\$2 near2 object\$1))	USPAT	2004/08/02 10:25
-	11	((contain\$3 with (state\$1 or persistence) with (manag\$4 or maintain\$3 or preserv\$5 or sav\$3 or stor\$4 or replicat\$3 or migrat\$3 or recover\$3 or retriev\$3)) and (entity near2 bean\$1) or EJB or (persisten\$2 near2 object\$1))) and (container with manag\$4 with state\$1)	USPAT	2004/08/02 10:26
-	0	((contain\$3 with (state\$1 or persistence) with (manag\$4 or maintain\$3 or preserv\$5 or sav\$3 or stor\$4 or replicat\$3 or migrat\$3 or recover\$3 or retriev\$3)) and (entity near2 bean\$1) or EJB or (persisten\$2 near2 object\$1))) and (container with manag\$4 with state\$1)) and ((717/114).clss)	USPAT	2004/08/02 10:26
-	28963	("717").clss	USPAT	2004/08/02 10:26
-	2	((contain\$3 with (state\$1 or persistence) with (manag\$4 or maintain\$3 or preserv\$5 or sav\$3 or stor\$4 or replicat\$3 or migrat\$3 or recover\$3 or retriev\$3)) and (entity near2 bean\$1) or EJB or (persisten\$2 near2 object\$1))) and (container with manag\$4 with state\$1)) and ((717).clss)	USPAT	2004/08/02 10:26
-	9	("5317739" "5561809" "5706432" "5905987" "5907843" "6067539" "6484160" "6487665" "6490620").PN.	USPAT	2004/08/02 10:33
-	11	("5317739" "5561809" "5642511" "5706432" "5822580" "5872973" "5920868" "6018627" "6038395" "6209018" "6253253").PN.	USPAT	2004/08/02 10:34

L Number	Hits	Search Text	DB	Time stamp
-	1735	((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:38
-	279601	state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:30
-	216	((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:31
-	79555	state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:31
-	102	(((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:10
-	576132	(state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:34
-	102	(((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:34
-	241987	((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (\$3memory or \$3stor\$3 or reposit\$3 or database\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:38
-	12014	((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (disk\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:38

-	99	(((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))) and (((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (\$3memory or \$3stor\$3 or repositor\$3 or database\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:38
-	14	(((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))) and (((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (\$3memory or \$3stor\$3 or repositor\$3 or database\$1))) and (((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (disk\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:49
-	6	("5664090" "5748882" "6105148" "6161219" "6397379" "6421739").PN.	USPAT	2004/08/02 12:24
-	20	container\$1 with manag\$5 with \$4bean\$1	USPAT	2004/08/02 13:09
-	674	state\$1 with manag\$5 with type\$1	USPAT	2004/08/02 12:36
-	0	(state\$1 with manag\$5 with type\$1) same (memory with replicat\$3)	USPAT	2004/08/02 12:36
-	0	(state\$1 with manag\$5 with type\$1) and (container\$1 with manag\$5 with \$4bean\$1)	USPAT	2004/08/02 12:36
-	45	(state\$1 with manag\$5 with type\$1) and (((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1))	USPAT	2004/08/02 12:43
-	294	((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state near3 objects)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:39
-	130	(((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state near3 objects)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:39
-	76	(((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state near3 objects)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:39


-	76	(((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state near3 objects)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:40
-	75	(((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state near3 objects)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (\$3memory or \$3stor\$3 or repositior\$3 or database\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:40
-	10	((((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state near3 objects)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (\$3memory or \$3stor\$3 or repositior\$3 or database\$1))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (disk\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:41
-	34	((state\$1 with manag\$5 with type\$1) and (((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))	USPAT	2004/08/02 12:43

-	34	((state\$1 with manag\$5 with type\$1) and ((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))	USPAT	2004/08/02 12:43
-	34	((state\$1 with manag\$5 with type\$1) and ((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) and (((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (\$3memory or \$3stor\$3 or repositor\$3 or database\$1))	USPAT	2004/08/02 12:44
-	2	((state\$1 with manag\$5 with type\$1) and ((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) and (((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (\$3memory or \$3stor\$3 or repositor\$3 or database\$1))) and (((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (disk\$1))	USPAT	2004/08/02 12:44
-	4	(container\$1 with manag\$5 with \$4bean\$1) and (state near3 objects)	USPAT	2004/08/02 13:10
-	3	("6016489" "6125383" "6453333").PN.	USPAT	2004/08/02 15:00
-	8	("5911071" "6282580" "6347342" "6438617" "6438744" "6453356" "6510550" "6522343").PN.	USPAT	2004/08/02 13:25
-	69	persistent near2 software	USPAT	2004/08/02 15:00
-	0	(persistent near2 software) and EJB	USPAT	2004/08/02 15:00
-	3	"PowerTier"	USPAT	2004/08/02 15:01
-	2	("6098093" "6115736").PN.	USPAT	2004/08/02 17:10
-	6	(US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$).did.	USPAT	2004/08/03 11:11
-	1	((US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$).did.) and checkpoint\$3	USPAT	2004/08/03 11:11
-	6	("5664090" "5748882" "6105148" "6161219" "6397379" "6421739").PN.	USPAT	2004/08/03 16:47

-	7	(US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$ or US-6105148-\$).did.	USPAT	2004/08/04 13:27
-	2	((US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$ or US-6105148-\$).did.) and lock\$3	USPAT	2004/08/04 14:21
-	2	((US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$ or US-6105148-\$).did.) and lock\$3	USPAT	2004/08/04 12:19
-	5	((US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$ or US-6105148-\$).did.) and ((repositor\$3 or database\$1 or server\$1) with (specifi\$6 or specify\$3 or defin\$6 or schem\$2 or manag\$5))	USPAT	2004/08/04 13:16
-	5	((US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$ or US-6105148-\$).did.) and ((repositor\$3 or database\$1 or server\$1) with (specifi\$6 or specify\$3 or defin\$6 or schem\$2 or manag\$5))	USPAT	2004/08/04 13:16
-	3	((US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$ or US-6105148-\$).did.) and ((migrat\$3 or ship\$4 or transport\$6 or transfer\$4 or replicat\$3) with (repositor\$3 or database\$1 or server\$1))	USPAT	2004/08/04 13:41
-	0	ejb same ((repositor\$3 or database\$1 or server\$1) with migrat\$3 with (specifi\$6 or specify\$3 or defin\$6 or schem\$2 or manag\$5))	USPAT	2004/08/04 14:11
-	30	ejb and ((repositor\$3 or database\$1 or server\$1) with migrat\$3 with (specifi\$6 or specify\$3 or defin\$6 or schem\$2 or manag\$5))	USPAT	2004/08/04 13:34
-	30	(ejb and ((repositor\$3 or database\$1 or server\$1) with migrat\$3 with (specifi\$6 or specify\$3 or defin\$6 or schem\$2 or manag\$5))) and (state\$3 near2 (object\$1 or bean\$1))	USPAT	2004/08/04 13:36
-	6	((ejb and ((repositor\$3 or database\$1 or server\$1) with migrat\$3 with (specifi\$6 or specify\$3 or defin\$6 or schem\$2 or manag\$5))) and (state\$3 near2 (object\$1 or bean\$1))) and ("717").clss	USPAT	2004/08/04 13:36
-	65	ejb and ((migrat\$3 or ship\$4 or transport\$6 or transfer\$4 or replicat\$3) with (repositor\$3 or database\$1 or server\$1))	USPAT	2004/08/04 13:41
-	34	(ejb and ((migrat\$3 or ship\$4 or transport\$6 or transfer\$4 or replicat\$3) with (repositor\$3 or database\$1 or server\$1))) and ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4))	USPAT	2004/08/04 14:19

-	34	((ejb and ((migrat\$3 or ship\$4 or transport\$6 or transfer\$4 or replicat\$3) with (repositor\$3 or database\$1 or server\$1))) and ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4))) and ((state\$1 or persist\$4) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))	USPAT	2004/08/04 14:19
-	0	((ejb and ((migrat\$3 or ship\$4 or transport\$6 or transfer\$4 or replicat\$3) with (repositor\$3 or database\$1 or server\$1))) and ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4))) and ((state\$1 or persist\$4) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))) and (((state\$1 or persist\$4) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) same ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4)))	USPAT	2004/08/04 14:21
-	0	(ejb and ((migrat\$3 or ship\$4 or transport\$6 or transfer\$4 or replicat\$3) with (repositor\$3 or database\$1 or server\$1))) and (((state\$1 or persist\$4) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) same ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4)))	USPAT	2004/08/04 14:21
-	1	((state\$1 or persist\$4) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) same ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4))) and ejb	USPAT	2004/08/04 14:22

-	3	((state\$1 or persist\$4) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) same ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4))) and ("717").class	USPAT	2004/08/04 14:23
-	44	((state\$1 or persist\$4) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) same ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4)))	USPAT	2004/08/04 14:27


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about 3,160 for **ejb checkpoint**. (0.50 seconds)**[PDF] Microsoft PowerPoint - Checkpoint-Restart.ppt**File Format: PDF/Adobe Acrobat - [View as HTML](#)

... each **EJB** instance corresponds to a row in that table In-memory replication of bean instances Page 15. 15 © 2003 George Candea Laptop Hibernation **checkpoint** all ...

www.stanford.edu/~candea/teaching/ cs444a-fall-2003/slides/Checkpoint.pdf - [Similar pages](#)

[PDF] Using Group Communication to Establish Distributed Checkpoint in ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

Using Group Communication to Establish Distributed **Checkpoint** in Replicated **EJB** Application Servers 1 Marcia Pasin Michel Riveill Taisy Silva Weber Programa de ...

rainbow.essi.fr/publications/01-asse.pdf - [Similar pages](#)

RMI-USERS archives -- January 2002 (#104)

... In the client invoking **EJB** Remote method which returns me ... 1014) at

weblogic.transaction.internal.TransactionLogger\$LogDisk.**checkpoint**(TransactionLogger.java:895 ...

archives.java.sun.com/cgi-bin/wa?A2=ind0201& L=rmi-users&F=&S=&P=11445 - 18k - [Cached](#) - [Similar pages](#)

EJB-INTEREST archives -- October 1999 (#376)

... list for Enterprise JavaBeans development <**EJB-INTEREST**@JAVA.SUN.COM> From: Gabriel Lawrence <gabe@KOVAIR.COM> Subject: No **checkpoint** of **EJB** transactions? ...

archives.java.sun.com/cgi-bin/wa?A2=ind9910& L=**ejb-interest**&F=&S=&P=41706 - 9k -

[Cached](#) - [Similar pages](#)

[[More results from archives.java.sun.com](#)]

Eclipse Web Tools Platform Project Wiki: Objectweb Contributions

... Milestone 3,4&5 - Project **Checkpoint** 2. This **checkpoint** should bring capabilities such as **EJB** and Java Web Services development. ...

www.eclipse.org/proposals/ eclipse-webtools/Wikib9cc.html - 16k - [Cached](#) - [Similar pages](#)

[PDF] C-JDBC: a High Performance Database Clustering Middleware Nicolas ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Log MySQL C-JDBC driver Java client program (Servlet, **EJB**, ...) MySQL Virtual ... dumps yRecord all updates and transaction markers since a **checkpoint** yUsed to ...

c-jdbc.objectweb.org/current/ doc/objectweb2003/C-JDBC_Objectweb2003.pdf - [Similar pages](#)

[PDF] Microsoft PowerPoint - 2003-09-25 C-JDBC ObjectWeb Architecture. ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

... dump for last **checkpoint** PostgreSQL C-JDBC Controller PostgreSQL JDBC driver C-JDBC driver JVM **EJB** Container JOnAS, WebLogic, JBoss, WebSphere,

c-jdbc.objectweb.org/current/ doc/C-JDBC-ArchitectureMeeting-2003-09-25.pdf - [Similar pages](#)

[[More results from c-jdbc.objectweb.org](#)]

:: Enterprise JavaBeans' Two-Phase Commit -- Application Design ...

... Some transaction processors support an additional operation, **checkpoint**() ... You can use nested transactions as you use the **checkpoint** operation. ...

doc.advisor.com/doc/04598 - [Similar pages](#)

<nobr>X-Hive/DB</nobr> 3.0 - Advanced Topics

... to a specific session, and get released by certain session actions (commit , rollback

and **checkpoint**). ... The finally code-block is based on the **EJB**-principle. ...
support.x-hive.com/documentation3/kb_sessions.html - 16k - [Cached](#) - [Similar pages](#)


Business Solution | WebOTX

... can be used to mutually operate **EJB** applications that run on the **EJB** 2.0 server ... has
been improved overall to double that of R4.2. Commit **checkpoint** control has ...
www.sw.nec.co.jp/middle/WebOTX-e/newfunc/func2002.html - 23k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)


Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

**Web**Results 1 - 10 of about **54,400** for **ejb container managed beans**. (0.29 seconds)**EJB 2.0 Container-Managed Persistence Example**

... The **EJB 2.0** approach to CMP allows multiple entity **beans** to have **container-managed** relationships among themselves. It accomplishes ...
java.sun.com/developer/technicalArticles/ebeans/EJB20CMP/ - 44k - Aug 3, 2004 -
[Cached](#) - [Similar pages](#)

What is an Entity Bean?

... persistence, the **EJB container** takes care of the relationships for you. For this reason, relationships in entity **beans** with **container-managed** persistence are ...
java.sun.com/j2ee/tutorial/1_3-fcs/doc/EJBConcepts4.html - 16k -
[Cached](#) - [Similar pages](#)
[[More results from java.sun.com](#)]

Sponsored Links

Container at eBay
Low Priced **Container**
Huge Selection! (aff)
ebay.com

[See your message here...](#)

Optimizing container-managed persistence EJB entity beans

... Optimizing **container-managed** persistence **EJB entity beans**, ...
www-106.ibm.com/developerworks/ibm/library/i-optimize/?dwzone=ibm - 36k -
[Cached](#) - [Similar pages](#)

EJB Container-Managed Transaction Creating Entity Bean

... XML. **EJB Container-Managed Transaction Creating Entity Bean**. Posted ... top. **EJB Container-Managed Transaction Creating Entity Bean**. Posted ...
www.theserverside.com/discussions/thread.tss?thread_id=198 - 39k -
[Cached](#) - [Similar pages](#)

Session Beans

... 2.0 **Container-Managed Persistence Example** The **EJB 2.0** approach to CMP allows multiple entity **beans** to have **container-managed** relationships among themselves. ...
www.j2eeolympus.com/J2EE/ejb/SessionBeans.jsp - 40k - [Cached](#) - [Similar pages](#)

The WebLogic Server EJB Container and Supported Services

... Note: The is-modified-method-name deployment descriptor element applies to **EJB 1.1 container-managed-persistence (CMP) beans** only. ...
edocs.bea.com/wls/docs61/ejb/EJB_environment.html - 97k - [Cached](#) - [Similar pages](#)

Enterprise Java Beans

... persistence (BMP). Transactions. **EJB containers** are required to support **container managed** transactions as well as **bean managed** transactions. ...
www.fact-index.com/e/en/enterprise_java_beans.html - 13k - [Cached](#) - [Similar pages](#)

Implementing Container-Managed Persistence in EJB Entity Beans

Oracle Developer CMP IN **EJB ENTITY BEANS** Implementing **Container-Managed Persistence in EJB Entity Beans**. By John Walker. Part two ...
otn.oracle.com/oramag/oracle/02-nov/062odev_ejb.html - 52k - [Cached](#) - [Similar pages](#)

Developing a Container Managed Persistence (CMP) Entity Bean

... the application server creates the **beans**, initializes them ... server that provides the **EJB container** offers transaction **management**, distribution, platform ...
www.informit.com/articles/article.asp?p=20944 - 22k - [Cached](#) - [Similar pages](#)

... Unfortunately, this change breaks forward compatibility with **EJB 1.0 container-managed beans**, forcing **bean** developers to make changes to their existing code if ...
www.hk8.org/old_web/Java%20Enterprise/ebeans/appd_01.htm - 12k -
 Cached - Similar pages

Goooooooooooooogle ▶

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Google - Search Web 49 Pop-ups blocked News AutoFill


ejb container managed beans

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

**Web**Results 1 - 10 of about **2,970** for **ejb memory replicated**. (0.52 seconds)The WebLogic Server EJB Container and Supported Services

... Limitations of In-Memory Replication. ... a transaction involving a stateful **EJB**, but the primary WebLogic Server fails before the **EJB's** state is **replicated**. ...

e-docs.bea.com/wls/docs61/ejb/EJB_environment.html - 97k - [Cached](#) - [Similar pages](#)

weblogic.xml Deployment Descriptor Elements

... Required. Specifies the name of an **EJB** reference used in your Web Application ... (see also PersistentStorePool, above). **replicated**—Same as **memory**, but session ...

e-docs.bea.com/wls/docs61/webapp/weblogic_xml.html - 59k - [Cached](#) - [Similar pages](#)

[[More results from e-docs.bea.com](#)]

Année Universitaire 2000-2001

... concept and the lack of shared **memory** in distributed ... another important problem of **replicated** objects is ... The Enterprise JavaBeans (**EJB**) [SUN97] does not provide ...

rangiroa.essi.fr/DEA-RSD/2002-03/12-rainbow.html - 7k - [Cached](#) - [Similar pages](#)

Confluence - Symposium Schedule

... **EJB** (Symposium Talks) Jason Carreira (Symposium Talks) Jason Hunter (Symposium Talks) Java and .NET (Symposium Talks) JBossCache - An In-memory **Replicated** ...

wiki.theserverside.com/symposium/display/TALKS/Symposium+Schedule?showChildren=true - 66k -

[Cached](#) - [Similar pages](#)

Confluence - Symposium Schedule

Symposium Schedule. Last changed on May 06, 2004 by Aslak Hellesoy. Click on any of the talks on this schedule to enter a wiki page specific to that talk. ...

wiki.theserverside.com/symposium/display/TALKS - 26k - [Cached](#) - [Similar pages](#)

[[More results from wiki.theserverside.com](#)]

JInt Demo: Oracle9iAS High Availability (Hi-Av) architecture

... selects a process from its shared **memory** table. ... So there is no need to configure **EJB**-Clustering for ... ensure that HTTP session state gets **replicated** between OC4J ...

otn.oracle.com/sample_code/tech/java/j2ee/jintdemo/tutorials/HiAvTutorial.html - 53k - [Cached](#) - [Similar pages](#)

Creating and Configuring Pramati Server Clusters Using XML

... state change for Web sessions, the information is **replicated** across all ... This may prove expensive on **memory** and hence it is better to ... Setting up **EJB** Persistence. ...

www.pramati.com/docstore/1220017/ins_srvr_cluster.htm - 70k - [Cached](#) - [Similar pages](#)

EJB-INTEREST archives -- July 2000 (#696)

... vendor> > > > Stateful session beans are now **replicated** (in-memory) in Weblogic. The > > > implementation is available in our current **EJB** 2.0 beta and ...

archives.java.sun.com/cgi-bin/wa?A2=ind0007&L=ejb-interest&F=&S=&P=78615 - 14k - [Cached](#) - [Similar pages](#)

EJB-INTEREST archives -- June 2000 (#588)


... Freeman Jackson <freeman@SILIWARE.COM> To: <**EJB-INTEREST**@JAVA ... a slave (backup) > >

and to persist its **memory** in a ... store - which can be a > > **replicated** database ...

archives.java.sun.com/cgi-bin/wa?A2=ind0006&L=ejb-interest&F=&S=&P=65253 - 12k -

[Cached](#) - [Similar pages](#)

... Read-only entity **replicated** clustering - Read-only entity beans can ... of data, this is the type of **EJB** to use ... Stateful session beans' in-**memory** state is not ...
www.codenotes.com/articles/ articleAction.aspx?articleID=123 - 32k - Cached - Similar pages




Google Search Web 49 Pop-ups blocked News AutoFill

ejb memory replicated Search

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

<http://www.google.com/search?hl=en&ie=UTF-8&q=+ejb+memory+replicated>

**Web**Results 1 - 10 of about **2,010** for **ejb serialize transaction**. (0.35 seconds)WebLogic Frequently Asked Questions: EJB

... not support the type of **transaction** processing required ... and Microsoft SDK for Java **serialize** objects, in this case with javax.ejb.deployment.SerializableField. ...

www.weblogic.com/docs51/techsupport/faq/ejb.html - 21k - [Cached](#) - [Similar pages](#)

WebLogic Frequently Asked Questions: EJB

... transitional version of JTS (Java **Transaction** Services) expect, and which causes **serialization** problems when ... of Java when running any **EJB** utilities such ...

www.weblogic.com/docs/techsupport/faq/ejb.html - 48k - [Cached](#) - [Similar pages](#)

[[More results from www.weblogic.com](#)]

EJB-INTEREST archives -- February 2000 (#208)

... 09, 2000 3:08 PM > To: **EJB-INTEREST@JAVA.SUN** ... however, fails with the error "Cannot **serialize** access", because the other > **transaction** has > committed a ...

archives.java.sun.com/cgi-bin/wa?A2=ind0002&L=ejb-interest&F=&S=&P=24318 - 18k - [Cached](#) - [Similar pages](#)

EJB-INTEREST archives -- December 1998 (#334)

... Also, most **transaction** processing software is built assuming that ... c.. Can I **serialize** the Cart ... Session **EJB serialization** has no association with the session ...

archives.java.sun.com/cgi-bin/wa?A2=ind9812&L=ejb-interest&F=&S=&P=40729 - 12k - [Cached](#) - [Similar pages](#)

[[More results from archives.java.sun.com](#)]

The javax.ejb Package (Java Enterprise in a Nutshell)

... EJBException, **EJB** 1.0. javax.ejb, **serializable** checked. ... If the **EJB** object was operating within a container-defined **transaction** context when the exception ...

www.hk8.org/old_web/Java%20Enterprise/jenut/ch19_01.htm - 45k - [Cached](#) - [Similar pages](#)

transactions serializable not working with ejb and oracle8i

... transactions **serializable** not working with **ejb** and oracle8i. ... that other **transaction**, then second **transaction** is going to get error: Cannot **serialize** access ...

www.theserverside.com/discussions/thread.tss?thread_id=6911 - 56k - [Cached](#) - [Similar pages](#)

The WebLogic Server EJB Container and Supported Services

... java.sql.SQLException: ORA-08177: can't **serialize** access for this **transaction**. Even if you use the TRANSACTION_SERIALIZABLE setting for an **EJB**, you may receive ...

e-docs.bea.com/wls/docs61/ejb/EJB_environment.html - 97k - [Cached](#) - [Similar pages](#)

The WebLogic Server EJB Container and Supported Services

... If the **transaction** times out (or, for non-transactional ... The **EJB** developer must ensure that a call to ... condition such that WebLogic Server can **serialize** its data ...

e-docs.bea.com/wls/docs70/ejb/EJB_environment.html - 101k - [Cached](#) - [Similar pages](#)

[[More results from e-docs.bea.com](#)]

ejb-interest: AW: AW: AW: AW: AW: database-locking, transaction

... postgres for example does not **serialize** (if you set ... but rolls back the second **transaction** the moment ... Ursprungliche Nachricht----- Von: owner-ejb-interest@caucho ...

www.caucho.com/support/ejb-interest/0206/0065.html - 7k - [Cached](#) - [Similar pages](#)

[PDF] Microsoft PowerPoint - **EJB II**

File Format: PDF/Adobe Acrobat - View as HTML

... lock No Update J2EE Server - **EJB** Container Bean ... lock Update with lock Old_Pessimistic


Serialized Access to ... the duration of the **transaction**/methods invocation ...

www.daimi.au.dk/~ups/DOPC/slides/10_ejb.pdf - [Similar pages](#)

Go o o o o o o o o o o o o o o g l e ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



ejb serialize transaction

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

Google™ [Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)
 [Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about 528 for **checkpoint entity beans**. (0.28 seconds)**[PDF] Microsoft PowerPoint - Checkpoint-Restart.ppt**File Format: PDF/Adobe Acrobat - [View as HTML](#)

... keeps EJB state in DB each **entity** EJB has ... row in that table In-memory replication of **bean** instances ... 2003 George Candea Laptop Hibernation **checkpoint** all state ...
www.stanford.edu/~candea/teaching/cs444a-fall-2003/slides/Checkpoint.pdf - [Similar pages](#)

EJB-INTEREST archives -- October 1999 (#376)

... me, as you wouldn't want to hit the database every time an **Entity beans** methods are called, but it seems to me that there should be a **checkpoint** command that ...
archives.java.sun.com/cgi-bin/wa?A2=ind9910&L=ejb-interest&F=&S=&P=41706 - 9k - [Cached](#) - [Similar pages](#)

EJB-INTEREST archives -- October 2002 (#146)

... A Cluster of **CheckPoint** Firewall-1 up front. ... Answers like that, make me think that the lack of arguments justifying the use of **Entity Beans** instead of O/R ...
archives.java.sun.com/cgi-bin/wa?A2=ind0210&L=ejb-interest&F=&S=&P=16381 - 19k - [Cached](#) - [Similar pages](#)
[[More results from archives.java.sun.com](#)]

Online Consulting - Core EJB Programming Developer's Workshop

... Security Security+, ISA, CISSP, **CheckPoint**... ... students will explore EJB fundamentals through more complex topics such as **entity beans**, message driven **beans** and ...
www.onlc.com/outline.asp?ccode=ILP400ONLINE - 18k - [Cached](#) - [Similar pages](#)

Developing an enterprise bean or J2EE client to manage ...

... the EJB container always manages ActivitySessions within **entity beans**. ... If the session **bean** or J2EE client does ... of the ActivitySession or to **checkpoint** all the ...
publib.boulder.ibm.com/infocenter/wasinfo/topic/com.ibm.wasee.doc/info/ee/ass/tasks/tas_usebma.html - 7k - [Cached](#) - [Similar pages](#)

[PDF] Using Group Communication to Establish Distributed Checkpoint in ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

... case, the EJB object is called **entity bean**, otherwise session ... Stateless **beans** are not aware of any client ... used to implement distributed **checkpoint**; section 3 ...
rainbow.essi.fr/publications/01-asse.pdf - [Similar pages](#)

Addison-Wesley - Java and Uml/ Developing Applications - Reed - 0 ...

... Building the Architectural Prototype: Part 3. **Entity Beans**. Data Access Objects. Front to Back in one Package. **Checkpoint**. Where We've Been. ...
www.pearson.ch/pageid/34/artikel/70252AW/ Addison-Wesley/0201702525/JavaandUmlDeveloping.aspx - 57k - [Cached](#) - [Similar pages](#)

Bookware - Books Detail

... Building the Architectural Prototype: Part 3. **Entity Beans**. Data Access Objects. Front-to-Back in one Package. **Checkpoint**. Where We Have Been. ...
order.bookware.com.au/cgi-bin/bookware/0201702525?MfTR2PC4;19 - 26k - [Cached](#) - [Similar pages](#)

Bookmarks

... Access Online Training Cem Uney cemuney@yahoo.com **Checkpoint** MCSE Cram ... A Session **Beans** Tutorial Enterprise JavaBeans(TM) - An **Entity Beans** Tutorial Enterprise ...

www.helsinki.fi/~malmund/bookmark.shtml - 76k - [Cached](#) - [Similar pages](#)

Macromedia JRun 4


... you can generate and deploy a fully functional **entity bean** in minutes ...

www.pugh.co.uk/Products/macromedia/JRun_4.htm - 36k - Aug 3, 2004 - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



checkpoint entity beans

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google